

INNOVATIVE TECHNOLOGY REVOLUTIONIZING PROSTHETICS



PRODUCTS | AMPARO | DECEMBER 2021

www.amparo.world





ABOUT US

Amparo is a company founded in the heart of Berlin, Germany. Our goal is to empower amputees by providing innovative prosthetic technology. We offer user-centered products that have been designed to benefit both amputees and technicians. By creating an off-the-shelf prosthetic socket technology, Amparo allows technicians to provide efficient and mobile prosthetic services with easy to use and high-quality products. Ultimately, we aim to increase the quality of life of amputees and create access to prostheses worldwide.

MATERIAL CONE FOR TRANSTIBIAL PROSTHETIC SOCKET

The Confidence Socket is a revolution in below-knee prosthetic socket technology. The direct molding technique applied, when fitting the Confidence Socket, allows for an unbelievably intuitive and efficient treatment with a very low margin of error. Thanks to the thermoplastic material, the socket can be remolded several times, to allow for volume changes in an amputee's residual limb. The socket comes with a pre-assembled and pre-lateralized mounting plate and the suspension module of choice.

SPECIFICATIONS

| Amputation Level: | Transtibial (TT) / below-knee | |
|--------------------|--|--|
| Weight Bearing: | Total-Surface-Bearing (TSB) Kondylen-Bettung Münster (KBM) Patellar Tendon Bearing (PTB) | |
| Suspension System: | Passive Vacuum Pin Lock | |
| Materials: | Low-temperature thermoplastic cone with pre-assembled aluminum mounting plate | |
| Offset: | 1 cm | |

Remolds: 5 times





CONFIDENCE SOCKET TT


| Confidence Socket | Vacuum Small | Vacuum Large | Pin Small | Pin Large |
|----------------------|--------------|--------------|--------------|--------------|
| REF Number | 102-CSBK-V-S | 102-CSBK-V-L | 102-CSBK-P-S | 102-CSBK-P-L |
| Weight Supported | 125 kg | 150 kg | 125 kg | 150 kg |
| Distal Circumference | 23-34 cm | 30-45 cm | 23-34 cm | 30-45 cm |
| Maximum Stump Length | 27 cm | 27 cm | 27 cm | 27 cm |
| Socket Weight* | 1.100 g | 1.320 g | 1040 g | 1300 g |
| Color | black | black | black | black |

*During fitting 200-800g will be removed depending on stump length.


SUSPENSION SYSTEMS

The Confidence Socket (TT) pre-assembled Material Cone can be used with a One-way Valve or with a Pin Lock Unit, in Small or Large.





Passive Vacuum System offers great comfort and reliability for amputees. The one-way valve creates a snug fit without resulting in high-pressure areas. It's used with liner and sleeve.



Pin Lock System

uses a clutch lock mechanism. It eliminates the need for a sleeve and promotes easy donning and doffing with its quick release mechanism.

SUSPENSION UNITS*

| One-Way Val | ve for Con | fidence Socket |
|-------------|------------|----------------|
|-------------|------------|----------------|

| REF Number | 101-VAL |
|------------|-----------------|
| Weight | 20 g |
| Dimensions | 18 x 19 x 19 mm |



| Pin Lock Unit | |
|---------------|-----------------|
| REF Number | 101-PL |
| Weight | 180 g |
| Dimensions | 52 x 98 x 22 mm |
| | |



* Suspension units are not included in the Confidence Socket TT Material Cone but need to be ordered separately.

store.amparo.world



Amparo Tools were developed in-house and are exclusively available from Amparo and its official distributors.

Mobile Oven

- for even heating of the Confidence Socket
- heated using a heat gun
- REF Number
- Specifications

Oven Hood, Stand, Silicone Base & Insulation Cap

902-MO

Mobile Vacuum Pump

| for fittings at the clinic and on the go | | | |
|--|-------------------|--|--|
| REF Number | 901-VP | | |
| Weight | 4.4 kg | | |
| Size | 30.5 x 12 x 17 cm | | |
| Max. Vacuum | 0.8 bar | | |
| Flow Rate | 68 l/min | | |

Vacuum Adapter

| • connects Mobile Vacuum Pump to Confidence Socket | | | |
|--|-------------------------------|--|--|
| REF Number | 901-VA | | |
| Specifications | comes with manometer & filter | | |

Spacer Pad Set

| • creates extra space in socket for sensitive areas when adjusting | | | |
|--|---|--|--|
| REF Number | 901-SP | | |
| Specifications | 6x silicone pads, 2 of each shape | | |
| Dimensions | 3 x 7 x 3cm, 7.5 x 8.2 x 3cm, 3.5 x 3.5 x 3cm | | |

Tool Storage Bag

| protects and separates tools during transport | | |
|---|---------------------------------------|--|
| REF Number | 901-TSB | |
| Specifications | padded, adjustable partitions, handle | |
| External dimensions | 48 x 34.5 x 19.5 cm | |
| Weight | 1.35 kg | |

Workshop Bag

| • can hold all the necessary tools for prosthetic treatment | | |
|---|--|--|
| REF Number | 901-WB | |
| Specifications | 2 wheels, extendable handle, 111-120 liter | |
| External dimensions | 43 x 36 x 79 cm | |
| Weight | 2.8 kg | |



Essential Accessories were chosen by Amparo as these specific models of common orthopedic work tools work best with the Amparo System.

Leather Shears

• curved blade for soft curves and small radii

• well suited for creating the socket contour

REF Number 901-LSH

Specifications Kretzer, 9,5"/24 cm bent

• long shape that protects hands and wrists

901-TGL

• tight-fitting for good dexterity when shaping sockets

Textile Scissors

Thermo Gloves

REF Number

Specifications

• industry standard, incontestable for textiles and hot thermoplastic **REF Number** 901-TSC Specifications Kretzer, 8"/20 cm

one size (size 9), with Para-Aramid, seamless





Stretch Foil Holder

• faster and easier foil application **REF Number** 901-SFH Specifications 4 cm diameter

APPROVED CONSUMABLES

Stretch Foil

• extra strong & tear-proof, does not fuse with hot thermoplastic

• well suited for compression and vacuum suction

REF Number 901-SF

Specifications roll 150 m x 10 cm

Molding Textile

• ensures even vacuum distribution

• does not bond to thermoplastic

REF Number 901-MT

Specifications ca. 10 m





For convenient and efficient ordering all, tools, accessories and consumables can also be ordered as part of product sets.

Amparo Tool Set REF Number 501-TS

consisting of

- 901-MO Mobile Oven
- 901-VP Mobile Vacuum Pump
- 901-VA Vacuum Adaptor
- 901-SP Spacer Pads
- 901- TSB Tool Storage Bag
- 901-WB Workshop Bag



STARTER-KITS

Our Starter Kits are designed specially for those who are new to using Amparo's products. The kits contain everything you need to get set up, plus professional on-site training.

| | Starter Kit | Starter Kit | Starter Kit | BEST DEAL |
|------------------------------------|------------------|-------------------|---------------------|---|
| REF Number | BASIC 501-SKB | MASTER 501-SKM | COMPLETE 501-SKC | consisting of |
| 102-CSBK- V-S / V-L / P-S / P-L | 2X 🗸 | 6X 🗸 | 12X 🗸 | Confidence Socket TT Material Cone |
| 101-VAL / PL | 2X 🗸 | 6X 🗸 | 12X 🗸 | Suspension Unit |
| 801-TRS | 1X 4X | 1X 4X | 1X 4X | Training + Confidence Socket for Training |
| 501-TS | 1X 🗸 | 1X 🗸 | 1X 🗸 | Amparo Tool Set |
| 501-CS | 1X 🗸 | 1X 🗸 | 1X 🗸 | Approved Consumables Set |
| 501-AS | X | X | 1X 🗸 | Essential Accessories Set |



STAY IN CONTACT :)

- **(**) +49 (0)30 284 239 67
- (**b**) +49 (0)30 284 239 69
- hello@amparo.world
- (www.amparo.world
- (f) @AmparoProsthetic
- (i) @amparoprosthetics
- () @amparo_pros
- in linkedin.com/company/amparogmbh/

